

Grants by Grant Cycle

Grants matching your search for 2006-07 Rubberized Asphalt Concrete Grants (RAC7)

Los Angeles County

Grantee: Los Angeles County

Amount Awarded: \$250,000.00

Grantee Contact: Mahdad Derakhshani

Grantee Contact Phone Number: 626-458-3924

CalRecycle Grant manager: Victoria Rocha

Project Summary: Project #1:

Location: Unicorporated LA County area around Lancaster; Ave G

Limits: 160 St East/210th St East

Type: Asphalt-Rubber

Length: 17,850 ft

Width: 28ft

Depth: 2 in

Tons used: 6,373

Amt of crumb rubber per: 20.9 lbs/ton

Construction start/completion dates:

4/07 - 11/07

Project #2:

Unicorporated LA county area of Quartz Hill; Ave L-8

Limits: 55th St West to 45 St West

Type:Asphalt-Rubber

Length: 4,280 ft

Width: 45 ft

Depth: 2 in

Tons used: 2,458

Amt. crumb rubber: 20.9 lbs/ton

Construction Start/Completion dates:

5/07 - 8/07

Project #3:

Location: Unicorporated LA County area near La Habra Heights; Harbor Blvd

Limits: Fullerton Rd/Orange Co Line

Type: Asphalt-Rubber

Length: 9,500 ft

Width: 55 ft

Depth: 2 in

Tons used: 6,608

Amt of crumb rubber per: 20.9 lbs/ton

Construction start/completion dates:

5/07 - 9/07

Project #4:

Unicorporated LA county area of Altadena; Aladena Dr

Limits: Santa Rosa Ave to Allen Ave

Type:Asphalt-Rubber

Length: 7,400 ft

Width: 36 ft

Depth: 1.5 - 2 in

Tons used: 3,401

Amt. crumb rubber: 20.9 lbs/ton

Construction Start/Completion dates:

6/07 - 11/07

Project #5:

Location: Unicorporated LA County area of Lennox; Hawthorne Blvd, ET Al

Limits: 363 ft South of 111th St to 25 ft North of 104th St; and various other streets

Type: Asphalt-Rubber

Length: 10,080 ft

Width: 50ft
Depth: 1.5 in
Tons used: 4,726
Amt of crumb rubber per: 20.9 lbs/ton
Construction start/completion dates:
6/07 - 3/08

Project #6:
Unincorporated LA county area near Azusa; Citrus Ave, Et Al
Limits: 250` N/O Gladstone St to 470` N/O Armstread St; and various other streets
Type:Asphalt-Rubber
Length: 7,000 ft
Width: 40 ft
Depth: 2 in
Tons used: 3,607
Amt. crumb rubber: 20.9 lbs/ton
Construction Start/Completion dates:
6/07 - 9/07

Project #7:
Location: Unincorporated LA County Area of Rosewood; Compton BI, Et Al
Limits: 30` E/O Figeoa St to Main St; and various other streets
Type: Asphalt-Rubber
Length: 2,925 ft
Width: 56 ft
Depth: 1.5 in
Tons used: 1,536
Amt of crumb rubber per: 20.9 lbs/ton
Construction start/completion dates:
8/07 - 10/07

Project #8:
Unincorporated LA county area of East LA; Ford Blvd, Et Al
Limits: Olympic Blvd to Whittier Blvd; and various other streets
Type:Asphalt-Rubber
Length: 2,060 ft
Width: 50 ft
Depth: 2 in
Tons used: 1,313
Amt. crumb rubber: 20.9 lbs/ton
Construction Start/Completion dates:
7/07 - 9/07

Project #9:
Location: Unincorporated LA County area of East LA; Olympic Ave
Limits: Simmons Ave to Concourse Ave
Type: Asphalt-Rubber
Length: 5,960 ft
Width: 50 ft
Depth: 2 in
Tons used: 3,802
Amt of crumb rubber per: 20.9 lbs/ton
Construction start/completion dates:
7/07 - 12/07

Project #10:
Unincorporated LA county area near City of Industry; Turnbull Canyon Rd, Et Al
Limits: Gale Ave to Bridge SoO San Jose Creek; and various other streets
Type: Asphalt-Rubber
Length: 4,335 ft
Width: 56 ft
Depth: 1.5 - 2 in
Tons used: 2,276
Amt. crumb rubber: 20.9 lbs/ton
Construction Start/Completion dates:
6/07 - 12/07

Orange County

Grantee: City of San Clemente

Amount Awarded: \$159,040.00

Grantee Contact: Mr. William E. Cameron

Grantee Contact Phone Number: 949-361-6120

CalRecycle Grant manager: Victoria Rocha

Project Summary: Project #1:

Location: Avenida Vista Hermosa (Via Turqueza to Camino Vera Cruz)

Requested: \$5,600

Type of RAC: Dry Process

Length: 1,800 overall length

Width: 60 feet

Depth: 2 inches

Tons: 1,400 estimated

Amt of Crumb Rubber: 28.8 lbs

Construction Start/Completion Dates:

January 2007 - February 2007

Project #2:

Location: Camino Mira Costa (Camino De Estrella to city limit)

Requested: \$10,800

Type: Dry Process

Length: 3,650

Width: 60 ft

Depth/thickness: 2 in.

Tons: 2,700 estimated

Amt. of crumb rubber: 28.4 lbs

Construction Start/Completion date:

March 2007 - May 2007 (estimated)

Project #3:

Location: N El Camino Real (Avenida Del Mar to Avenida Pico)

Requested: \$18,000

Type: Dry Process

Length: 6,200

Width: 53

Depth/Thickness: 2 inches

Tons: 4,500 estimated

Amt. of crumb rubber: 28.8

Construction Start/Completion date:

May 2007 - July 2007 (estimated)

Project #4:

Location: S El Camino Real (Avenida Rosa to Avenida Valencia)

Requested: \$8,000

Type: Dry Process

Length: 3,180 ft

Width: 53 feet

Depth/Thickness: 2 in

Tons: 2,000 estimated

Amt. of crumb rubber: 28.8

Construction start/completion dates:

July 2007 - December 2007

Amt. of crumb rubber: 28.8

Construction start/completion dates:

July 2007 - December 2007

Project #5:

Location: Camino Capistrano (N El Camino Real to Del Gado Rd)

Requested: \$7,200

Type: Dry Process

Length: 3,100
Width: 36-53 ft
Depth/thickness: 2 in
Tons: 1,800 estimated
Amt. crumb rubber: 28.8 lbs
Construction start/completion dates:
August 2007 - November 2007
Amt. of crumb rubber: 28.8 lbs
Construction start/completion dates:
August 2007 - November 2007

Project #6
Location: Avenida San Pablo (S El Camino Real to Avenida Acapulco)
Requested: \$5,200
Type: Dry Process
Length: 2,200
Width: 40 ft
Depth/Thickness: 2 in
Tons: 1,300 estimated
Amt. of crumb rubber: 28.8 lbs
Construction start/completion dates:
April 2007 - August 2007

Project #7:
Location: Avenida Cota (Avenida Santa Margarita to end of cul de sac), Avenida Constanso (Avenida Cota to end of cul de sac), Calle Bahia (Avenida Santa Margarita to end) and Avenida Crespi (Avenida Magdalena to Calle Gomez)
Requested: \$6,400
Type: Dry Process
Length: 5,300
Width: 22-26
Depth/Thickness: 2 in
Tons: 1,600
Amt. of crumb rubber: 28.8
Construction start/completion dates:
April 2007 - September 2007

Project #8:
Location: Avenida Del Presidente (Avenida Valencia to Avenida Calafia), Avenida Ramona (Avenida Del Presidente to S Ola Vista), Avenida Montalvo (Avenida Calafia to Avenida Lobeiro), Avenida Lobeiro (Avenida Montalvo to Avenida Montalvo) and W Avenida Magdalena (Avenida Del Presidente to S Ola Vista)
Requested: \$13,440
Type: Dry Process
Length: 9,150 ft
Width: 22-45 feet
Depth/Thickness: 2 in
Tons: 3,360
Amt. of crumb rubber: 28.8
Construction start/completion dates:
June 2007 - November 2007

Project #9:
Location: Avenida Del Presidente (Avenida Calafia to Cristianitos Rd)
Requested: \$7,200
Type: Dry Process
Length: 4,800
Width: 29-36 ft
Depth/Thickness: 2 in
Tons: 1,800 tons estimated
Amt. of crumb rubber: 28.8
Construction start/completion dates:
July 2007 - December 2007

Project #10:
Location: Avenida Vista Montana (Calle Del Cerro to Calle Pastadero)
Requested: \$10,400
Type: Dry Process
Length: 5,000

Width: 43 ft
Depth/Thickness 2 in
Tons: 2,600 estimated
Amt. of crumb rubber: 28.8 lbs
Construction start/completion dates:
September 2008 - December 2008

Project #11:

Location: Portico Del Norte (Camino De Los Mares to Eminencia Del Sur) and Portico Del Sur (Eminencia Del Sur to Camino De Los Mares)
Amt. Requested: \$9,600
Type: Dry Process
Length: 5,430 ft
Width: 36 ft
Depth/Thickness: 2 in
Tons: 2,400 estimated
Amt. of crumb rubber: 28.8 lbs
Construction start/completion dates:
September 2008 - November 2008

Project #12:

Location: Calle Amanecer (Avenida Pico to Avenida La Pata) and Calle Negocio (Calle Amanecer to end of cul de sac)
Requested: \$16,400
Type: Dry Process
Length: 8,200
Width: 43 ft
Depth/Thickness: 2 in
Tons: 4,100
Amt. of crumb rubber: 28.8
Construction start/completion dates:
July 2008 - September 2008

Project #13:

Location: Major Maintenance Program FY 2007/2008 (street locations have yet to be determined as of the date of this application)
Requested: \$10,000
Type: Dry Process
Length: 6,000
Width: 36 ft
Depth/Thickness: 2 in
Tons: 2,500 estimated
Amt. of crumb rubber: 28.8
Construction start/completion dates:
July 2008 - September 2008 estimated

Project #14:

Location: Avenida La Pata (Avenida Pico to Calle Extremo)
Requested: \$24,000
Type: Dry Process
Length: 7,300 ft
Width: 70 ft
Depth/Thickness: 2 in
Tons: 6,000 estimated
Amt. of crumb rubber: 28.8
Construction start/completion dates:
July 2007 - September 2008 estimated

Total Awarded for County:\$159,040.00

San Diego County

Grantee: San Diego County

Amount Awarded: \$46,264.00

Grantee Contact: Michelle Farag

Grantee Contact Phone Number: 858-874-4018

CalRecycle Grant manager: Victoria Rocha

Project Summary: Project #1:

Location: El Norte Parkway

Limits: From Escondido City Limits to Escondido City Limits

Type: Asphalt -Rubber

Length: 0.40 miles

Width: varies from 64-73 ft

depth: 1.5 in

Tons used: 1,299 tons

Amt. of crumb rubber: not listed

Construction start/completion dates:

4/04 - 7/07

Project #2:

Location: La Granda

Limits: From Avenida De Acacias and Los Morros

Type: Asphalt -Rubber

Length: 1.53 miles

Width: varies from 30 - 35 ft

depth: 1.5 in

Tons used: 2,144 tons

Amt. of crumb rubber: not listed

Construction start/completion dates:

4/04 - 7/07

Project #3:

Location: Lake Jennings Park Rd

Limits: From Olde Hwy 80 to 0.53 mi North of Bass Drive

Type: Asphalt -Rubber

Length: 1.59 miles

Width: varies from 50 - 92 ft

depth: 1.5 in

Tons used: 4,230 tons

Amt. of crumb rubber: not listed

Construction start/completion dates:

4/04 - 7/07

Project #4:

Location: Maplevue St

Limits: From Channel Rd to Pino Drive

Type: Asphalt -Rubber

Length: 0.99 miles

Width: varies from 52-98 ft

depth: 1.5 in

Tons used: 3,893 tons

Amt. of crumb rubber: not listed

Construction start/completion dates:

4/04 - 7/07

Total Awarded for County:\$46,264.00

Ventura County

Grantee: Ventura County

Amount Awarded: \$127,934.00

Grantee Contact: Wm. (William) B Britt

Grantee Contact Phone Number: 805-654-2077

CalRecycle Grant manager: Victoria Rocha

Project Summary: Project 1

Location: 2007 On-System Roads-Variou Locations in Ventura County Limits: Various Locations Type of RAC: Asphalt-Rubber Length of Paving: 6.6 Width of Paving: Various Depth/Thickness of Paving: 1.5` to 2.5`

Tons of RAC Used: 10,485 tons

Amount of crumb rubber per ton of RAC

Construction Starting and Completion Date: Start March, 2008 Finish August 2008

Project 2

Location: 2007 Local Roads- Various Locations in Ventura County Limits: Various Locations Type of RAC: Asphalt Rubber

Lenght of Paving: 15.83 miles Depth/Thickness of Paving: 1.5` to 2.0` Tons of RAC Used: 16,489 Tons Amount of crumb rubber per ton of RAC 20 lbs/ton Construction Starting and Completion Dates: March, 2008 Finish August 2008

Project 3

Location: 2007 High Priorty ON System Local Roads in Ventura County Limits: Various Locations Type of RAC: Asphalt - Rubber Length of Paving: 4.21 miles Depth/Thickness of Paving: 1.5` to 2.0` Tons of RAC Used: 5,011 tons Amount of crumb rubber per ton of RAC 20 lbs./tonConstruction Starting and Completion Dates: March 2008 Finish August 2008

Project 4

Location: (City/Town, intersection Limits: (e.g., Postmile or Point A to Point B) Type of RAC: Lenggth of Paving: Width of Paving: Depth/Thickness of Paving: Tons of RAC Used: Amount of cumb rubber per ton of RAC Constructio Starting and Completion Dates:

Total Awarded for County:\$127,934.00

Grant Count: 4

Grand Total for Selected Counties: \$583,238.00